EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20020059313".pn. and (software or program or module or logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/23 08:53
L2	0	"20020059313".pn. and (apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/23 08:54
L3	2	"20020059313".pn. and (system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/23 08:54
S1	276	(725/14).OOLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:52
S 2	853	(725/9-21).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 10:20
S3	4	S2 and (DOI or CRID or CIDF or UMID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:26
S4	4	S2 and (DOI or CRID or CIDF or UMID or (digital adj object adj ID) or (content adj reference adj id) or (content adj id adj forum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:27
S5	404	S2 and (DOI or CRID or CIDF or UMID or (digital adj object adj ID) or (content adj reference adj id) or (content adj id adj forum) or (Unique Metadata Identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:28

S 6	404	\$2 and (DOI or CRID or CIDF or UMID or (digital adj object adj IDentifier) or (content adj identifier) or (content adj identifier adj forum) or (Unique Metadata Identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:29
S7	127	S1 and (Unique Metadata Identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:28
S8	60	S1 and (Unique Metadata Identifier) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:29
S9	4	\$2 and (DOI or CRID or CIDF or UMID or (digital adj object adj IDentifier) or (content adj identifier) or (content adj identifier adj forum) or (Unique adj Metadata adj Identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:29
S10	4	S2 and (DOI or CRID or CIDF or UMID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:33
S11	1	S2 and (UPID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:34
S12	63	S2 and (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:34
S13	18	S1 and (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:49
S14	30	("digital object id" or "content reference id" or "content id forum" or "unique metadata indentifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:51

S15	88	S1 and (action)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 10:53
S16	35	S1 and (action) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 12:19
S17	105	S1 and (record\$3 or backup or transfer) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 12:19
S18	11	S1 and (record\$3 and backup and transfer) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:06
S19	71	S1 and (program with (watch\$3 or view\$3) with record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:07
S20	57	S1 and (program with (watch\$3 or view\$3) with (recorded or recording))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:08
S21	24	S1 and (program with (watch\$3 or view\$3) with (recorded or recording)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 14:31
S22	1	S1 and (type with (recorded) with (view\$3 or watch\$3)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 15:24
S23	0	S1 and (pvr same (viewing adj history)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 15:25
S24	0	S1 and (dvr same (viewing adj history)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 15:25

\$25	0	S1 and (dvr and (viewing adj history)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 15:25
S26	0	S1 and (dvr or pvr) and (view\$3 adj history) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 15:26
\$27	0	S1 and (dvr or pvr) and (view\$3 near2 history) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 15:26
S28	1	S1 and (dvr or pvr) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 15:29
S29	353	(725/134).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 15:29
S30	3	S29 and ((user or view\$3) adj history) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/07 15:30
S31	30	("digital object id" or "content reference id" or "content id forum" or "unique metadata indentifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 07:54
S32	57161	("digital object id" or "content reference id" or "content id forum" or "unique metadata indentifier" or doi or umid or crid or cidf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 07:56
S33	5986	("digital object id" or "content reference id" or "content id forum" or "unique metadata indentifier" or umid or crid or cidf)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 07:56
S34	30	("digital object id" or "content reference id" or "content id forum" or "unique metadata indentifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 07:58

S35	11990	(725/1-153).OOLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 07:58
S36	32	S35 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 10:42
S37	5	S35 and upid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/09 10:42
S38	2	("6631523").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:31
S39	3360	(709/219).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:40
S40	309	(725/1).COLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 14:07
S41	25	(view\$3 adj (record or history)) and (slow with replay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:23
S42	36	(view\$3 adj (record or history)) and (slow same replay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:23
S43	11	S42 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:23
S44	10	(slow with replay with normal) same (record or history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:25

S45	1	(slow with replay with normal with (list or option))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:33
S46	4	(slow same replay same normal same (list or option))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:26
S47	11	(slow with replay with normal with (select\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:10
S48	0	(slow with replay with normal) same (dvr or pvr)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:10
S49	0	(slow with replay with normal) same (dvr or pvr or (video adj recorder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:11
S50	14	(slow with replay with normal) and (dvr or pvr or (video adj recorder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:12
S51	1	(normal adj play) same (replay) same (slow adj play)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:13
S52	9	(replay) same (slow adj play)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:13
S53	49	(replay with slow with (list or select\$3 or option))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:40
S 54	2	(replay with slow with (list))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:14

S55	4	(replay with slow with (characterize))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:57
S56	0	(replay with slow with (label))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:42
S57	0	(replay with slow with (tag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:42
S58	7	(replay with slow with (mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:42
S59	5	(replay with slow with (characteriz\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:42
S60	2	(replay with slow with (label\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:42
S61	0	(replay with slow with (tag \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:42
S62	11	(replay with slow with (mark\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:44
S63	38	(replay with slow with (designat\$3 or indicat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:13
S64	17	(recorded with watched with (history or log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:56

S 65	9	(recorded with watched with (metadata or (meta adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:56
S66	3	(replay with slow with (metadata or (meta adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:58
S67	100	(distinction with (display\$3 or play\$3 or watch\$3) with (record\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:59
S68	336	((metadata or (meta adj data)) with (display\$3 or play\$3 or watch\$3) with (record\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:00
S69	0	(distinction with (metadata or (meta adj data)) with (display\$3 or play\$3 or watch\$3) with (record\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 15:59
S70	39	((metadata or (meta adj data)) with (display\$3 or play\$3 or watch\$3) with (record\$3)) and @ad<"20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:01
S71	137	((display\$3 or play\$3 or watch\$3) with (record\$3)) same (view\$3 near3 history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:02
S72	74	((display\$3 or play\$3 or watch\$3) with (record\$3)) same (view\$3 adj history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 16:02
S73	2	(normal with slow with (replay or repeat or count \$3)) same (metadata or (meta adj data) or (view\$3 adj history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 10:42
S74	3	(slow with (replay or repeat or count\$3)) same (metadata or (meta adj data) or (view\$3 adj history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 10:42

S75	0	(slow with (repeat or count \$3)) same (metadata or (meta adj data) or (view\$3 adj history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 10:43
S76	138	(slow same (repeat or count\$3)) and (metadata or (meta adj data) or (view \$3 adj history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 10:43
S77	1	slow same (repeat or count \$3) same (metadata or (meta adj data) or (view\$3 adj history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 10:43
S78	36	(slow same (repeat or count\$3)) and (metadata or (meta adj data) or (view \$3 adj history)) and @ad<"20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 10:55
S79	22	((slow near3 play\$3) same ((repeat or count\$3) near3 play\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 10:57
S80	5	((slow near3 motion) same ((repeat or count\$3) near3 play\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 10:58
S81	0	(view\$3 near2 history) same (slow near3 (motion or play\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:00
S82	0	(view\$3 near2 history) same (slow with (motion or play\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:00
S83	42	(view\$3 near2 history) and (slow near3 (motion or play\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:01
S84	497	(track\$3 with (slow adj motion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:05

S85	0	(track\$3 with (slow adj motion)) same (view\$3 adj history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:02
S86	0	(track\$3 with (slow adj motion)) same (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:01
S87	2064	(track\$3 with (slow adj motion)) same2 (view\$3 adj history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:02
S88	2054	(track\$3 with (slow adj motion)) same1 (view\$3 adj history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:02
S89	0	(track\$3 with (slow adj motion)) near500 (view\$3 adj history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:03
S90	0	(track\$3 with (slow adj motion)) near1000 (view \$3 adj history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:03
S91	0	((slow adj motion)) near1000 (view\$3 adj history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:17
S92	105	count\$3 with (slow adj motion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:03
S93	80	(count\$3 with (slow adj motion)) and @ad<"20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:04
S94	49	((count or counted or counting) with (slow adj motion)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:04

S 95	16	((count or counted or counting) near4 (slow adj motion)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:04
S96	437	(track\$3 with (slow adj motion)) and @ad<"20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:06
S97	101	(track\$3 near3 (slow adj motion)) and @ad<"20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:07
S98	2	(slow with ((user or view \$3) adj history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:07
S99	12	(slow same ((user or view \$3) adj history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:08
S100	168	(slow same (metadata or (meta adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:08
S101	21	(slow same (metadata or (meta adj data))) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:09
S102	0	((speed near3 play\$4) same (metadata or (meta adj data))) and @ad<"20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:10
S103	0	((speed near3 play\$4) same ((user or view\$3) adj history)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:10
S104	0	((speed with play\$4) same ((user or view\$3) adj history)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:10

S105	20	((speed) same ((user or view\$3) adj history)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:11
S106	17350	((speed) with (record)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:12
S107	1896	((speed) with play\$4 with (record)) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:12
S108	1	(speed near3 (play\$3 or playback or (play adj back))) same ((user or view\$3) adj history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:14
S109	1	(speed with (play\$3 or playback or (play adj back))) same ((user or view\$3) adj history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:14
S110	77	(speed with (play\$3 or playback or (play adj back))) same (history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:14
S111	43	(speed near4 (play\$3 or playback or (play adj back))) same (history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:14
S112	2	((slow adj motion)) with (history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:18
S113	19	((slow adj motion)) same (history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:19
S114	8	((slow adj motion)) same (meta)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:24

S115	0	((user or view\$3) adj history) same headend same (portable near3 media)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:24
S116	0	((user or view\$3) adj history) same headend same (portable near3 media)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:29
S117	0	((user or view\$3) adj history) same headend same (portable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:29
S118	3	((user or view\$3) adj history) same (portable near3 media)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:32
S119	38	((user or view\$3) adj history) same (protect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:35
S120	0	((user or view\$3) adj history) and (protect\$3 with all with field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:36
S121	31	((user or view\$3) adj history) and (protect\$3 with field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:36
S122	24	((view\$3) adj history) and (protect\$3 with field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:38
S123	12	((view\$3) adj history) and (protect\$3 with entry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:38
S124	6	((user) adj history) and (protect\$3 with entry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:38

S125	8	((user) adj history) and (protect\$3 with field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:39
S126	5	((user) adj history) and (protect\$3 with (all or every))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:39
S127	3	((view\$3) adj history) and (protect\$3 with (all or every))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:41
S128	12	((view\$3 or user) adj history) and (protect\$3 with (entire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:43
S129	16	((view\$3 or user) adj history) same (encryption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:44
S130	49	((view\$3 or user) adj history) same (encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:45
S131	33	S130 not S129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:49
S132	0	(viewer adj history) with hierarchic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:50
S133	1	(viewer adj history) same hierarchic\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:51
S134	1	(viewer adj history) same tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:52

S135	2	("6727914").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/22 11:51
S136	21	((view\$3 or user) adj history) same hierarchic\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:55
S137	319	(history) with hierarchic\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:56
S138	143	((history) with hierarchic \$5) and @ad< "20000713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:56
S139	12	((history) with hierarchic \$5) and @ad<"20000713" and (tv or television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 12:00
S140	2	((history) with hierarchic \$5) and @ad<"20000713" and (catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 11:59
S141	1	((history) with tree) and @ad<"20000713" and (catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 12:00
S142	23	((history) with tree) and @ad<"20000713" and (tv or television)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 12:00
S143	25	@ad< "20000713" and 725/9-21.ccls. and protected	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:12
S144	1	@ad<"20000713" and 725/9-21.ccls. and ((protect\$3 or restrict\$4) near2 (bit or flag))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:53

S145	3	("6704929").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 11:39
S146	0	@ad<"20000713" and "725"/\$.ccls. and (((content adj reference adj (id or identif\$5)) or crid) or ((content adj (id or identif\$5) adj forum) or cidf))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:55
S147	58	@ad<"20000713" and (((content adj reference adj (id or identif\$5)) or crid) or ((content adj (id or identif\$5) adj forum) or cidf))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:56
S148	213	@ad<"20000713" and 725/9-21.cds. and (recorded)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:12
S149	2	@ad<"20000713" and 725/9-21.ccls. and (entry near2 recorded)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:12
S150	1	@ad<"20000713" and 725/9-21.cds. and (whether near2 recorded)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 12:12
S151	62	("digital object id" or "content reference id" or "content id forum" or "unique metadata indentifier")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 15:14
S152	5	(slow same replay same normal same (list or option))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 09:24
S153	2	("6813775").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/15 09:34
S154	21	@ad<"20000713" and 725/9-21.cds. and (consumption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:21

S155	0	@ad<"20000713" and 725/9-21.cds. and (consumption with lists!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:22
S156	0	@ad<"20000713" and 725/9-21.cds. and (consumption with lists?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:22
S157	0	@ad<"20000713" and 725/9-21.cds. and (lists?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:22
S158	60	@ad<"20000713" and 725/9-21.cds. and (lists!)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:22
S159	21	@ad<"20000713" and "725"/\$.ccls. and (lists! with (action or consumption))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:23
S160	2	@ad<"20000713" and "725"/\$.ccls. and ((lists! with (action or consumption)) same (id or indentifier or identify\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:23
S161	3	@ad<"20000713" and "725"/9-21.cds. and ((lists! with (action or consumption)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:26
S162	0	@ad<"20000713" and "725"/9-21.ccls. and ((action or consumption) with type with behavior)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:30
S163	0	@ad<"20000713" and "725"/9-21.ccls. and ((action or consumption or usage) with type with behavior)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:30
S164	0	@ad<"20000713" and "725"/\$.ccls. and ((action or consumption or usage) with type with behavior)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:30

S165	1113	@ad< "20000713" and "725"/\$.ccls. and ((subtitle or pip or mute or internet) same (channel or time or surf\$3 or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:33
S166	69	@ad<"20000713" and "725"/9-21.ccls. and ((subtitle or pip or mute or internet) same (channel or time or surf\$3 or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:33
S167	0	@ad<"20000713" and "725"/9-21.ccls. and ((subtitle or pip or mute or internet) same (channel or time or surf\$3 or duration) same liist)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:33
S168	8	@ad<"20000713" and "725"/9-21.ccls. and ((subtitle or pip or mute or internet) same (channel or time or surf\$3 or duration) same list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:33
S169	29	@ad< "20000713" and "725"/9-21.cds. and ((subtitle or pip or mute) same (channel or time or surf\$3 or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/06 09:36
S170	1	"20020059313".pn. and (smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:11
S171	27	@ad<"20000713" and (725/9-21.ccls.) and (link \$3 with (internet or network or web or website) with (info or information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:13
S172	1	@ad<"20000713" and (725/9-21.ccls.) and (link \$3 with (internet or network or web or website) with (info or information or data) with history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:14
S173	0	@ad<"20000713" and (725/9-21.ccls.) and ((internet or network or web or website) with (info or information or data) with (further or additional) with description)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:19

S174	0	@ad<"20000713" and (725/9-21.ccls.) and ((internet or network or web or website) with (further or additional) with description)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:19
S175	1	@ad<"20000713" and (725/9-21.cds.) and ((internet or network or web or website or link\$3) with (further or additional) with description)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:19
S176	18	@ad<"20000713" and (725/9-21.cds.) and ((internet or network or website or link\$3) with description)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:20
S177	0	@ad<"20000713" and (725/9-21.cds.) and ((internet or network or web or website or link\$3) with description with history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:20
S178	0	@ad<"20000713" and (725/9-21.cds.) and ((internet or network or web or website or link\$3) with (description or actor or director) with history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:20
S179	0	@ad<"20000713" and ("725"/\$.ccls.) and ((internet or network or web or website or link\$3) with (description or actor or director) with history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:21
S180	0	"20020059313".pn. and (metadata with included with history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:21
S181	1	"20020059313".pn. and (metadata with history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:21
S182	1	@ad<"20000713" and (725/9-21.cds.) and ((data or metadata) with (internal or external) with (storage or memory or db or database or server) with (addition\$3 or supplement\$3 or further))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:23

S183	3	@ad<"20000713" and (725/9-21.ccls.) and ((data or metadata) with (storage or memory or db or database or server) with (addition\$3 or supplement\$3 or further) with (link\$3 or address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:26
S184	0	@ad<"20000713" and (725/9-21.ccls.) and ((data or metadata) with (storage or memory or db or database or server) with (description) with (link \$3 or address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:30
S185	0	@ad<"20000713" and (725/9-21.ccls.) and ((data or metadata) with (storage or memory or db or database or server) with (descript\$4) with (link \$3 or address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:30
S186	2	@ad<"20000713" and (725/9-21.ccls.) and ((storage or memory or db or database or server) with (descript\$4) with (link \$3 or address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:31
S187	17	@ad<"20000713" and "725"/\$.ccls.) and ((data or metadata) with (storage or memory or db or database or server) with (descript\$4) with (link \$3 or address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:31
S188	17	S187 not S185	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:32
S189	0	@ad<"20000713" and (((data or metadata) with (storage or memory or db or database or server) with (descript\$4) with (link \$3 or address)) same history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:32

S190	3	@ad<"20000713" and "725"/\$.ccls.) and ((data or metadata) with (storage or memory or db or database or server) with (descript\$4) with (link \$3 or address)) and history	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:32
S191	0	"20020059313".pn. and (method with apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:44
S192	0	"20020059313".pn. and (method same apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:45
S193	0	"20020059313".pn. and (apparatus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/31 11:45
S194	0	@ad<"20000713" and (725/9-21.ccls.) and (portable with (protect\$3 or encrypt\$3) with (portion or section or segment or area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 14:56
S195	10	@ad<"20000713" and (725/9-21.ccls.) and ((protect\$3 or encrypt\$3) with (portion or section or segment or area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 14:56
S196	1	@ad<"20000713" and (725/9-21.ccls.) and ((protect\$3 or encrypt\$3) with (portable or sd or pemcia or xd or ef or (compact adj flash)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 14:59
S197	2	@ad<"20000713" and (725/9-21.ccls.) and ((protect\$3 or encrypt\$3) with (data or information) with (user or viewer or subscriber)) and (portable or sd or pcmcia or xd or cf or (compact adj flash))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:01

S198	9	@ad<"20000713" and (725/9-21.ccls.) and ((protect\$3 or encrypt\$3) with (data or information) with (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:02
S199	2	@ad<"20000713" and (725/9-21.ccls.) and ((flash or sd or pcmcia or xd or cf or (compact adj flash)) with (swap\$4 or switch\$4 or moving or move or moved or transfer \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:05
\$200	87	@ad<"20000713" and (725/9-21.ccls.) and ((flash or sd or pcmcia or xd or cf or (compact adj flash) or memory) with (swap\$4 or switch\$4 or moving or move or moved or transfer\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:07
S201	6	@ad<"20000713" and (725/9-21.ccls.) and ((flash or sd or pcmcia or xd or cf or (compact adj flash) or removable) with (swap\$4 or switch\$4 or moving or move or moved or transfer\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:07
S202	0	@ad<"20000713" and (725/9-21.cds.) and (separat\$5 with list with (action))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:16
S203	8	@ad< "20000713" and (725/9-21.cds.) and (separat\$5 with list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:16
S204	1	@ad<"20000713" and (725/9-21.cds.) and (separat\$5 with (list\$3 or record) with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:19
S205	25	@ad<"20000713" and (725/9-21.ccls.) and (separat\$5 with (list\$3 or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:19

S206	17	S205 not (S204 or S203)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:19
S207	116	@ad< "20000713" and ("725"/\$.ccls.) and ((protect\$3 or encrypt\$3) with (data or information) with (all or flag or portion or section or part))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:37
S208	3	@ad<"20000713" and ("725"/9-21.cds.) and ((protect\$3 or encrypt\$3) with (data or information) with (all or flag or portion or section or part))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:37
\$209	0	@ad<"20000713" and ("725"/9-21.ccls.) and ((list \$3 or record) with (play\$4 or record\$3) with (skip\$4 or slomo or (slow adj motion) or (slow adj mo)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:40
S210	3	@ad< "20000713" and ("725"/9-21.ccls.) and ((list \$3 or record) with action with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/16 15:41
S211	44	@ad<"20000713" and ("725"/9-21.ccls.) and ((multiple or plurality or second) near3 (list\$3 or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:07
S212	2	@ad< "20000713" and ("725"/9-21.ccls.) and ((multiple or plurality or second) near3 (list\$3 or record) with (type or action))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:08
\$213	0	@ad<"20000713" and ("725"/9-21.cds.) and ((second near2 (list\$3 or record)) with (action or slowmo or slow or slo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:12
\$214	1	@ad<"20000713" and ("725"/9-21.ccls.) and ((second near2 (list\$3 or record)) with (action or slowmo or slomo or slow or slo or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:13

\$215	20	@ad< "20000713" and ("725"/9-21.cdls.) and ((second near2 (list\$3 or record)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:13
\$216	5	@ad<"20000713" and ("725"/9-21.cds.) and ((different or separate or distinct) with (list\$3 or record) with (action or consum\$4 or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:20
\$217	44	@ad<"20000713" and ("725"/9-21.cds.) and ((different or separate or distinct) with (list\$3 or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:30
\$218	18	@ad<"20000713" and ("725"/9-21.cds.) and ((different or separate or distinct) near3 (list\$3 or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:30
S219	5	@ad<"20000713" and ("725"/\$.ccls.) and (((different or separate or distinct) near3 (list\$3 or record)) with history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:38
\$220	0	@ad<"20000713" and (((different or separate or distinct) near3 (list\$3 or record)) with history with (action or type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:39
S221	102	@ad<"20000713" and (((different or separate or distinct) near3 (list\$3 or record)) with history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:39
\$222	2	@ad<"20000713" and (((different or separate or distinct) near3 (list\$3 or record)) with history with (media or content or movie or television))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:40
S223	102	@ad< "20000713" and (((different or separate or distinct) near3 (list\$3 or record)) with history)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:41
\$224	4	@ad<"20000713" and (((different or separate or distinct) near3 (list\$3 or record)) with history with (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:41

	3,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,			
S225	14	@ad<"20000713" and ((((different or separate or distinct) near3 (list\$3 or record)) with history) same (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:44
S226	10	S225 not S224	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 08:44
\$ 227	0	@ad<"20000713" and ("725"/9-21.ccls.) and ((list \$3 or record) same (recording) same (play\$3 or playback or play or reproduc\$4) same (slomo or slo or slowmo or slow))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:33
S228	3	@ad< "20000713" and ("725"/9-21.ccls.) and ((recording) same (play\$3 or playback or play or reproduc\$4) same (slomo or slo or slowmo or slow))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:34
\$229	5	@ad<"20000713" and ("725"/\$.ccls.) and ((list\$3 or record) same (recording) same (play\$3 or playback or play or reproduc\$4) same (slomo or slo or slowmo or slow))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:35
\$230	0	@ad<"20000713" and ((((list\$3 or record) near2 history) same (recording) same (play\$3 or playback or play or reproduc\$4) same (slomo or slo or slowmo or slow))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:37
S231	2	@ad<"20000713" and (history same (recording) same (play\$3 or playback or play or reproduc\$4) same (slomo or slo or slowmo or slow))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:37
\$232	4	@ad<"20000713" and ((((viewer or user or subscriber) with history) same (play\$3 or playback or play or reproduc\$4 or recording) same (slomo or slo or slowmo or slow or rwd or rewind\$3 or ffd or fastforward\$ or (fast adj forward\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:39

S233	0	@ad<"20000713" and ("725"/9-21.cds.) and (list with (record\$3)) and (list with (slomo or slowmo or slow or paus\$3 or ffd or fastforward\$3 or (fast adj forward\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:46
S234	7	@ad< "20000713" and ("725"/9-21.ccls.) and ((list or record) with (recorded or recording)) and ((list or record) with (slomo or slowmo or slow or paus\$3 or ffd or fastforward\$3 or (fast adj forward\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:47
\$235	7	@ad<"20000713" and ("725"/9-21.ccls.) and ((list or record) with (recorded or recording or tap\$3)) and ((list or record) with (slomo or slowmo or slow or paus\$3 or ffd or fastforward\$3 or (fast adj forward\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:47
S236	5	@ad<"20000713" and ("725"/9-21.cds.) and ((separate or different or distinct) with (list or record) with (recorded or recording or tap\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:52
S237	55	@ad<"20000713" and ("725"/9-21.cds.) and ((separate or different or distinct or versus) with (recorded or recording or tap\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:55
\$238	21	@ad<"20000713" and ("725"/9-21.cds.) and ((separate or different or distinct or versus) with (recorded or recording or tap\$3) with (program\$4 or episode or movie or content))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 09:55
\$239	4	@ad<"20000713" and ("725"/9-21.cds.) and ((separate or different or distinct or versus) with (recorded or recording or tap\$3) with (dvr or pvr or (video adj record\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 10:02

S240	7	@ad<"20000713" and ("725"/9-21.ccls.) and ((separate or different or distinct) with (file or list\$3 or record) with (device or unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 10:05
\$241	2	@ad<"20000713" and ("725"/9-21.ccls.) and (separate near2 (dvr or pvr or (video adj record \$3) or (record\$3 adj (device or unit or terminal))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 10:10
S242	3	@ad<"20000713" and ("725"/9-21.ccls.) and (slomo or (slo adj mo) or (slow adj mo) or (slow adj motion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 10:38
S243	1	"20020059313".pn. and ((method or apparatus) with (module or logic or program or software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 15:00
S244	2	"20020059313".pn. and (method or apparatus or module or logic or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 15:02
S245	2	"20020059313".pn. and (control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 15:05
S246	0	"20020059313".pn. and (wave or signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/17 15:08

9/23/2009 9:56:39 AM

C:\ Documents and Settings\ jshepard\ My Documents\ EAST\ Workspaces\ history_09903650.wsp